

PELICAN™

PELICAN USA

23215 Early Avenue • Torrance, CA 90505
Tel 310.326.4700 • Fax 310.326.3311
www.pelican.com

147 North Main Street • South Deerfield, MA 01373
Tel: 800.542.7344 • Fax: 413.665.8330
www.pelican.com

PELICAN CANADA

10221-184 St. • Edmonton, Alberta T5S 2J4
Tel 780.481.6076 • Fax 780.481.9586

PELI PRODUCTS, S.L.U.

c/ Provença, 388, Planta 7 • 08025 • Barcelona, Spain
Tel: +34 934 674 999 • Fax: +34 934 877 393

All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates.

Part #1203-312-000 5-1459 Rev A AP/11 © Pelican Products 2011

*3M Super 77 or similar products for polyester foam (available at most art or office supply stores). Use in accordance with the adhesive manufacturer's instructions. 3M and Super 77 are trademarks of 3M Company

Armor All is a registered trademark of The Armor All/STP Products Company.

PELICAN™

Pelican™ Protector Case™ and Pelican™ Storm Case™ Care and Instructions

**Congratulations on your purchase of a Pelican™ Protector Case.™
You now have lifetime protection for your sensitive and vital equipment from water, dust, sand and impact while on the job.
To get the most out of your Pelican case, follow these suggested tips:**

1. HUMIDITY:

Exercise caution in high humidity climates. We recommend the regular use of silica-gel moisture absorbing packets which are available through Pelican (CAT. #1500D). These packets may be reused over again many times by drying out in oven.

2. O-RING:

To maintain the watertight seal, the O-Ring must be kept clean of dirt and debris. If the O-Ring becomes cut or cracked, it must be replaced. Your Pelican dealer can offer you replacement parts.

3. CLEANING INSTRUCTIONS:

Most dirt and stains can be removed quickly with mild soap and water and a soft sponge. Do not use any type of brush that will scratch the surface. An occasional application of "ArmorAll®" or similar protectant will keep your Pelican Case looking new.

4. SOLVENT, FUEL AND LUBRICANT EXPOSURE:

Certain solvents, fuels and hydraulic oils may affect the performance of your case. In the event of spills, remove solvent, fuels or oil with a clean cloth.

DIVIDER SETS:

For equipment that is sensitive (camera, lens, etc.) to dust, Pelican recommends its divider sets to offer the protection and cleanliness desired.

5. PICK N PLUCK™ FOAM:

If your Pelican Case comes with Pick N Pluck foam, follow these steps to customize your case:

- Lay out all items on the top of the foam to your liking. Leave adequate space between each item. For maximum protection keep items inside the pre-cut grid area.
- Mark the cubes to be removed. Toothpicks can be used to mark the corners of the pieces to be removed.

- Cubes can be removed individually or as a section. Sections can be saved for further customization or repair.
- Repeat this process for each item and each layer of foam, as needed.
- You can further customize the fit of your items by using the foam sections that were removed. To make items sit at just the right height, cut a layer from the foam section, and place it back into the foam cavity under the item.
- To repair tears or to replace cubes of foam, use a rubber cement or spray adhesive,* such as 3M™ Super 77™ or similar product, in accordance with the adhesive manufacturer's instructions.

6. SOLID FOAM:

If your Pelican Case comes with solid foam, follow these steps to customize your case:

- Lay out all items on the top of the foam to your liking.
- Using chalk, trace around the items to create an outline. Leave at least one inch of foam between items and walls of the case.
- Remove components from the foam.
- With the foam protruding over the edge of a table use an 8" electric knife or very sharp blade and begin cutting at a 90° angle, 1/4" within the outline to insure a snug fit.
TIP: When using an electric knife do not saw foam, let the blade flow smoothly. When squaring corners cut into corner from opposite directions.
- If a mistake is made, use a rubber cement or spray adhesive* to repair foam.
- Remove chalk outline with a damp cloth or brush. Do not close the case while foam is damp.
- We recommend gluing the cut section to the bottom layer of foam to reduce the movement of items inside the case when transporting.

PELICAN LEGENDARY FULL LIFETIME GUARANTEE OF EXCELLENCE

Pelican Products, Inc. guarantees its products for a lifetime against breakage or defects in workmanship. Pelican™ injection molded cases are guaranteed to be watertight to a depth of 3.3 feet (1 meter) for 30 minutes (IP 67) if properly closed with undamaged o-ring in place unless otherwise stated. Pelican's liability is limited to the case and not its contents or foam. This guarantee is void if the product has been abused beyond normal and sensible wear and tear.

Pelican will either repair or replace any broken or defective part or case, at our sole option. **THE REMEDIES HEREBY PROVIDED SHALL BE THE EXCLUSIVE AND SOLE REMEDY OF THE PURCHASER.**

TO THE EXTENT PERMITTED BY LAW, IN NO EVENT SHALL PELICAN BE LIABLE FOR ANY INDIRECT, PUNITIVE, INCIDENTAL OR CONSEQUENTIAL DAMAGES, OR SPECIAL DAMAGES, REGARDLESS OF WHETHER A CLAIM FOR SUCH DAMAGES IS BASED ON WARRANTY, CONTRACT, NEGLIGENCE OR OTHERWISE. In no event shall Pelican's liability to the purchaser for damages hereunder exceed the purchase price of the case in respect of which damages are claimed.

To make a warranty claim, the purchaser must contact Pelican Products, Inc. at 23215 Early Avenue, Torrance, CA 90505 or sales@pelican.com. Any warranty claims shall be made by the purchaser as soon as practicable. The purchaser must obtain a return authorization number from Pelican Customer Service prior to returning any case. In the event that Pelican determines that any returned case is not defective, within the terms of this warranty, the purchaser shall pay Pelican all costs of handling, transportation and repairs at Pelican's prevailing rates.

All warranty claims of any nature are barred if the container has been altered, damaged or in any way physically changed, or subjected to abuse, misuse, negligence or accident.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may have other rights which vary from state to state.

**Lifetime Guarantee does not cover Roto Molded or AALG products.
Refer to www.pelican.com/warranty for full details.**



WARNING: SUFFOCATION RISK.

Pelican™ Protector Case™ brand cases are built to be airtight and watertight, **DO NOT ALLOW CHILDREN TO PLAY UNSUPERVISED IN, OR AROUND, THIS CASE. SERIOUS INJURY OR DEATH MAY RESULT.**

ADVERTENCIA: RIESGO DE ASFIXIA.

Las maletas Pelican™ Protector Case™ están hechas para ser estancas al aire y al agua. **NO PERMITA QUE LOS NIÑOS JUEGUEN SIN VIGILANCIA EN EL INTERIOR O EN LAS PROXIMIDADES DE ESTA MALETA. DE LO CONTRARIO PODRÍAN SUFRIR LESIONES GRAVES O INCLUSO MORIR.**

AVERTISSEMENT : RISQUE DE SUFFOCATION

Les valises Pelican™ Protector Case™ sont conçues pour être étanches à l'air et à l'eau. **NE LAISSEZ PAS LES ENFANTS JOUER SANS SURVEILLANCE À L'INTÉRIEUR OU PRÈS DE CETTE VALISE. CELA RISQUERAIT D'ENTRAÎNER DES LÉSIONS CORPORELLES POUVANT ÊTRE MORTELLES.**

PELICAN LEGENDARY FULL LIFETIME GUARANTEE OF EXCELLENCE

Pelican Products, Inc. guarantees its products for a lifetime against breakage or defects in workmanship. Pelican™ injection molded cases are guaranteed to be watertight to a depth of 3.3 feet (1 meter) for 30 minutes (IP 67) if properly closed with undamaged o-ring in place unless otherwise stated. Pelican's liability is limited to the case and not its contents or foam. This guarantee is void if the product has been abused beyond normal and sensible wear and tear.

Pelican will either repair or replace any broken or defective part or case, at our sole option. **THE REMEDIES HEREBY PROVIDED SHALL BE THE EXCLUSIVE AND SOLE REMEDY OF THE PURCHASER.**

TO THE EXTENT PERMITTED BY LAW, IN NO EVENT SHALL PELICAN BE LIABLE FOR ANY INDIRECT, PUNITIVE, INCIDENTAL OR CONSEQUENTIAL DAMAGES, OR SPECIAL DAMAGES, REGARDLESS OF WHETHER A CLAIM FOR SUCH DAMAGES IS BASED ON WARRANTY, CONTRACT, NEGLIGENCE OR OTHERWISE. In no event shall Pelican's liability to the purchaser for damages hereunder exceed the purchase price of the case in respect of which damages are claimed.

To make a warranty claim, the purchaser must contact Pelican Products, Inc. at 23215 Early Avenue, Torrance, CA 90505 or sales@pelican.com. Any warranty claims shall be made by the purchaser as soon as practicable. The purchaser must obtain a return authorization number from Pelican Customer Service prior to returning any case. In the event that Pelican determines that any returned case is not defective, within the terms of this warranty, the purchaser shall pay Pelican all costs of handling, transportation and repairs at Pelican's prevailing rates.

All warranty claims of any nature are barred if the container has been altered, damaged or in any way physically changed, or subjected to abuse, misuse, negligence or accident.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may have other rights which vary from state to state.

**Lifetime Guarantee does not cover Roto Molded or AALG products.
Refer to www.pelican.com/warranty for full details.**



WARNING: SUFFOCATION RISK.

Pelican™ Protector Case™ brand cases are built to be airtight and watertight, **DO NOT ALLOW CHILDREN TO PLAY UNSUPERVISED IN, OR AROUND, THIS CASE. SERIOUS INJURY OR DEATH MAY RESULT.**

ADVERTENCIA: RIESGO DE ASFIXIA.

Las maletas Pelican™ Protector Case™ están hechas para ser estancas al aire y al agua. **NO PERMITA QUE LOS NIÑOS JUEGUEN SIN VIGILANCIA EN EL INTERIOR O EN LAS PROXIMIDADES DE ESTA MALETA. DE LO CONTRARIO PODRÍAN SUFRIR LESIONES GRAVES O INCLUSO MORIR.**

AVERTISSEMENT : RISQUE DE SUFFOCATION

Les valises Pelican™ Protector Case™ sont conçues pour être étanches à l'air et à l'eau. **NE LAISSEZ PAS LES ENFANTS JOUER SANS SURVEILLANCE À L'INTÉRIEUR OU PRÈS DE CETTE VALISE. CELA RISQUERAIT D'ENTRAÎNER DES LÉSIONS CORPORELLES POUVANT ÊTRE MORTELLES.**

EN Lid Organizer


This case requires you to install the lid organizer with screws (provided) into premolded holes to insure proper fit. For cases without premolded holes you need to attach the lid organizer with hook & loop strips (provided) only.

Installing the Lid Organizer to your case with screws

1. Locate the holes on the lid organizer.
2. Align the holes of the case and lid organizer.
3. Use a Phillips head screwdriver for installation.

Installing the Lid Organizer to your case with hook and loop

1. Peel off backing.
2. Align Lid Organizer.
3. Make sure Lid Organizer is secure in case.



MOUNTING SCREWS INCLUDED

PELICAN




LED AREA LIGHTING



TOUGH CASES



RACK MOUNT CASES



FLASHLIGHTS

> With nearly 60 years of combined experience, Pelican continues to protect all that you value. From lighting systems to transport cases, you can count on our products to perform to the challenge. Although we're constantly evolving and improving our offerings, one thing will remain the same: **OUR COMMITMENT TO QUALITY AND TO YOU.**

U.S.A.

TO ORDER PELICAN™ LIGHTS AND CASES IN THE USA:

CALIFORNIA

23215 Early Avenue
Torrance, CA 90505
Tel: 310.326.4700
800.473.5422
Fax: 310.326.3311
www.pelican.com

TO ORDER PELICAN STORM OR PELICAN-HARDIGG™ CASES IN THE USA:

MASSACHUSETTS

147 North Main Street
South Deerfield, MA 01373
Tel: 800.542.7344
Fax: 413.665.8330
www.pelican.com

INDIANA

3802 N 600 W # B
Greenfield,
IN 46140-9642
Tel: 317.866.2040
www.pelican.com

INTERNATIONAL

CANADA

Pelican Products, Inc.
10221-184th Street
Edmonton, Alberta
T5S 2J4 Canada
Tel: 780.481.6076
Fax: 780.481.9586
www.pelican.ca

EUROPE, MIDDLE EAST & AFRICA

Peli Products, S.L.U.
c/ Provença, 388 Planta 7
08025 • Barcelona, Spain
Tel +34 934 674 999
Fax +34 934 877 393
www.peli.com

JAPAN

Pelican Products K.K.
Nisso 22 Bldg. 9F
1-11-10 Azabu Dai
Minato Ward Tokyo
106-0041
Japan
Tel +81 33 585 9100
Fax +81 33 585 9109
www.pelicanproducts.jp

AUSTRALIA

Pelican Products Pty Ltd
Suite 2.33, Platinum West
4 Ilya Avenue, Erina NSW 2250
Australia
Ph: +612 4367 7022
Fax: +612 4367 7066
www.pelicanaustralia.com

CHINA


Pelican Products China
Representative Office
Pine City Building,
Room 1026
777 Zhaojiabang Road
Shanghai, China 200032
Tel +86.21.64189685
Fax +86.21.64189679
www.pelican.com/cn

For warranty details go to www.pelican.com/warranty

© 2011 Pelican Products, Inc.
All trademarks are registered and/or unregistered trademarks of
Pelican Products, Inc., its subsidiaries and/or affiliates.
Part. No. 1203-315-000 5-1303 Rev. B



THANK YOU
FOR YOUR PURCHASE



> PELICAN LED AREA LIGHTING

- Up to 56 hours of light
- Lightweight
- Battery powered
- Breakthrough LED technology
- Portable
- Rechargeable
- Completely collapsible



> PELICAN AND PELICAN STORM CASE™

- Over 70 sizes
- Water Resistant Protective Cases
- Long cases for military and law enforcement
- Specialized laptop and organization solutions
- Micro Case protection for small electronics
- Lockable
- Dustproof, crushproof
- Automatic pressure regulation
- Lifetime guarantee



> PELICAN - HARDIGG™ RACK MOUNT CASES

- Over 140 models from 3U-26U for rack depths of 19"-33" inches (48-83 cm)
- Rotational Molding Technology for secure server transport
- Controls impact forces from 15 Gs to 120 Gs
- Shock mounts isolate vibration and impacts
- Designed to meet ANSI/EIA-310C for universal rack mounting hole pattern
- Removable rack systems for use in the field (select models)

SEE THE FULL LINE OF PRODUCTS: PELICAN.COM



> PELICAN TOUGH LIGHTING TOOLS

- Safety approved lights for hazardous areas
- Tactical lights for military and law enforcement
- Specialized lights for fire and rescue operations
- Submersible lights for diving
- Headlamps



> PELICAN - HARDIGG™ SINGLE LID CASES

- Rotational Molding Technology
- Recessed hardware
- Comfort Grip Handles
- Available airtight/watertight designs
- Over 300 sizes
- Built-in skid runners option available on select models
- Mobile Military solutions for Medical, Information Technology, Office, Armory, and Transport Logistics
- Reinforced corners and edges for impact protection




> PELICAN - HARDIGG™ ADVANCED CASE SOLUTIONS


- Mission Critical Custom Cases
- Project evaluation
- Prototype, first articles, and testing
- Complete design and engineered custom solutions
- Manufacturing and Integration




Padded Divider Assembly Instructions
Instrucciones de montaje de los divisores
Instructions de montage pour votre jeu de séparateurs rembourrés
Zusammenbauanleitung für gepolsterte Trennfächer



1. Remove divider set from packaging.
 Retire el embalaje del juego de divisores.
 Retirez votre jeu de séparateurs de son emballage.
 Nehmen Sie die Trennfächer aus der Verpackung.



2. Unfold base and create a box form by adhering the hook and loop fasteners on the corners.
 Despliegue la base y cree una estructura en forma de caja uniendo las tiras de Velcro de las esquinas.
 Dépliez la base jusqu'à former une sorte de boîte en joignant les crochets et les boucles prévus à cet effet à chaque angle.
 Entfalten Sie den Boden und formen durch das Zusammenfügen der Klettverschlüsse an den Ecken ein Viereck



3. Install the padded dividers in your preferred configuration.
 Coloque los divisores en la disposición que desee.
 Placez les séparateurs rembourrés selon la configuration vous convenant le mieux.
 Setzen Sie die gepolsterten Trennfächer gemäß Ihrem individuellen Platzbedarf ein.



4. Install the assembled divider set into your case.
 Coloque el juego de divisores montados en su maleta.
 Placez ensuite votre jeu de séparateurs à l'intérieur de votre valise.
 Setzen Sie die zusammengebauten Trennfächer in Ihren Koffer ein.

23215 Early Avenue • Torrance, California 90505 USA
 Tel 310.326.4700 • FAX 310.326.3311

c/ Casp, 33-B Pral. • 08010 • Barcelona, Spain • Tel (+34) 93.467.4999 • FAX (+34) 93.487.7393